

	Application No.	Applicant(s)
Notice of Allowability	10/809,909	ODA ET AL.
	Examiner	Art Unit
	Toan Ton	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-23</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		<u>:</u>
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		:
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	8), 7. Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/809,909

Art Unit: 2871

REASONS FOR ALLOWANCE

1. Claims 1-23 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art of record does not anticipate nor render obvious to one ordinary skilled in the art a transflective display device comprising a combination of various elements as claimed, more specifically, a projecting insulating layer formed in a region corresponding to the reflective region on a substrate, a light shielding layer formed under the projecting insulating layer and formed to extend at least up to a region in which a side end of the projecting insulating layer is located.

Kim ('157), Niiya ('970), Kikkawa ('359) disclose a transflective LCD device comprising a light shielding layer formed adjacent to an insulating layer. However, none discloses a transflective display device comprising a combination of various elements as claimed, more specifically, 'a projecting insulating layer formed in a region corresponding to the reflective region on a substrate, a light shielding layer formed under the projecting insulating layer and formed to extend at least up to a region in which a side end of the projecting insulating layer is located'.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/809,909 Page 3

Art Unit: 2871

CONCLUSION

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

CONTACT INFORMATION

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan Ton whose telephone number is (571) 272-2303.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

September 15, 2005

TOANTON PRIMARY EXAMINER